

4

3

2

1

NOTES UNLESS OTHERWISE SPECIFIED:

1. APPLICABLE STANDARDS/SPECIFICATIONS:
 ASME Y14.5M-1994 DIMENSIONING AND TOLERANCING
 MIL-STD-130 IDENTIFICATION MARKING

2. SPECIFICATIONS:

COIL:

NOM. VOLTAGE: 115 VRMS
 PULL IN: 80 VRMS MAX
 DROP OUT: 8-40 VRMS
 TEMP RANGE: -65°C TO +125°C
 DUTY: CONTINUOUS
 RESISTANCE: 15000 OHMS ±10% DIODE BRIDGE

CONTACTS:

ARRANGEMENT: DPDT
 RATING: LOW LEVEL TO 2A @ 29 VDC
 INITIAL RESIST: 0.050 OHMS MAX
 DIELECTRIC: 1000 VRMS EXCEPT 500 VRMS BETWEEN CONTACTS




ENCLOSURE: HERMETICALLY SEALED

3. IDENTIFICATION MARKING: BAG AND TAG IDENTIFY AS
 "53711-8328568" IN ACCORDANCE WITH MIL-STD-130.

4. IDENTIFICATION OF THE SUGGESTED SOURCE(S) OF SUPPLY
 HEREON IS NOT TO BE CONSTRUED AS A GUARANTEE OF
 PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF
 SUPPLY FOR THE ITEM(S).

5. QUALITY ASSURANCE PROVISIONS:
 ALL CHARACTERISTICS ARE SUBJECT TO INSPECTION UNDER
 THE CONTRACTOR'S INSPECTION OR QUALITY SYSTEM.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



WIRING DIAGRAM

NO PUBLIC RELEASES OR PUBLIC DISPLAY OF ANY KIND ARE
 AUTHORIZED ON THIS PROGRAM WITHOUT THE EXPRESSED
 WRITTEN CONSENT OF COMNAVSEACOM (DOD) OR HIGHER
 AUTHORITY.

DESTRUCTION NOTICE - FOR CLASSIFIED DOCUMENTS, FOLLOW
 THE PROCEDURES IN DOD 5220.22M, INDUSTRIAL SECURITY
 MANUAL, CHAPTER 5, SECTION PARAGRAPHS 700-711 OR
 DOD 5200.1-R, INFORMATION SECURITY PROGRAM REGULATION,
 CHAPTER IX, FOR CLASSIFIED, LIMITED DOCUMENTS, DESTROY
 BY ANY METHOD THAT WILL PREVENT DISCLOSURE OF
 CONTENTS OR RECONSTRUCTION OF DOCUMENT.

DISTRIBUTION STATEMENT D: DISTRIBUTION AUTHORIZED TO
 THE DEPARTMENT OF DEFENSE AND DOD CONTRACTORS ONLY:
 CRITICAL TECHNOLOGY: 07-01-17. OTHER REQUESTS FOR
 THIS DOCUMENT SHALL BE REFERRED TO COMMANDER NAVAL
 SEA SYSTEMS COMMAND WASHINGTON, DC 20362-5101.

INTERPRET DWG IAW STDS
 PRESCRIBED BY ASME Y14.100

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			
TOLERANCES			
FRACTIONS	ANGLES	2 PLACE	3 PLACE
± -	± °	± -	± .010
DO NOT SCALE THIS DRAWING			
MATERIAL:			
7663172	USED ON		
NEXT ASSY	APPLICATION		

VENDOR ITEM CONTROL DRAWING

BC SYSTEMS, INC.
 200 BELLE MEAD RD
 SETAUKET, NY 11733
 631-751-9370

CAGE CODE 48313

KHYX-401-BCS
INDUSTRIAL ELECTRONICS DIVISION

RELAY

SIZE C	CAGE CODE 53711	DWG NO. 8328568
SCALE 2 / 1		SHEET 1 OF 1
		REV -

DWG NO. 8328568 SH 1

4

3

2

1